



I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE WITH SUFFICIENT POSTAGE AS FIRST-CLASS MAIL IN AN ENVELOPE ADDRESSED TO: COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, YA 22313-1450, ON

ovember 29, 20

Attorney Docket No. BC45300-1

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Cassart, et al.

November 18, 2003

Serial No.:

10/650,608

Group Art Unit No.: Unknown

Filed:

August 28, 2003

Examiner:

Unknown

For:

Tumour-Specific Animal Proteins

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

## Information Disclosure Statement Under 37 C.F.R. §1.97(c)

The attached list of citations on PTO Form 1449 is being submitted under the provisions of 37 CFR §1.56 and §1.97 in order to comply with the duty of disclosure. Their inclusion herein should not, however, be construed as an admission that any particular cited reference is effective prior art or that it discloses or renders obvious any aspect of the claimed invention. A copy of reference WO01/02828 is enclosed. All other cited references should be transferred from the parent case, S.N. 10/266,872. These references are listed in the enclosed 1449 form. This statement is being filed within the time period specified in 37 CFR §1.97(b). No fee is required.

Respectfully submitted

Andrea V. Lockenour

Attorney for Applicants Registration No. 51,962

**GLAXOSMITHKLINE** 

Corporate Intellectual Property - UW2220 P.O. Box 1539

King of Prussia, PA 19406-0939

Phone (610) 270-7568

Facsimile (610) 270-5090

n:\avl\patapps\bc45300-1\ids letter.doc

من	•							neet <u>1</u> (	of <u>3</u> .
Form PTO-1449  U.S. Department of Commerce Patent and Trademark Office				ATTY, DOCKET NO. BC45300-1		SERIAL NO. 10/650,608			
INFORMATION DISCLOSURE STATEMENT				APPLICANT					
					Cassart, et al.				
/	OIP				FILING DATE GROUP				
/		se several sheets if nec	essary)		August 28, 2003		Unknown		
P		4 2003 <u>y</u> .	U.S. F	ATENT	DOCUMENTS				
Examiner Initial	Ţ <u> </u>	Doéument ANumber	Date		Name	Class	Subclass		g Date ropriate
	C TIL	UEN CINDINGE		<u></u>				, ,,,,,,,,,	
L	J	<u>.</u>	FORFIGI	N PATE	NT DOCUMENTS				-
		Document Number			Country	Class	Subclass	<u>Translation</u>	
		W/O02157/2	1002.00.10		r			Yes	l No
	AA	WO9315763	1993-08-1						1
	AB	WO0053748	2000-09-14	1					
	AC	WO200157275	2001-01-30						
	AD	WO200157276	2001-01-30						
	AE	WO9514772	1994-11-1						1
<u>_</u>	AF	WO01/02828	2001-11-0						
	T <sub>D</sub>	T	, , , , , , , , , , , , , , , , , , , ,		thor, Title, Date, Pertin				
BA Database- Swiss-Prot Accession Number: Q99929 (November 1, 1997)						<del></del>			
	BB Database-EMBL Accession Number: U77629 (November 27, 1997)				То				
BC Alders, et al., The Human Achaete-Scute Homologue 2 (ASCL2, HASH2) Molecular Genetics Vol 6, No. 6 pp:859-867 (1997)									
				LAHavinas	mus frophoblasts, framan				
BD Database- Swiss-Prot Accession Number: Q9WUJ7 (November 1, 1999)  BE Database- Swiss-Prot Accession Number: 035885 (January 1, 1998)  BF Database- EMBL Accession Number U77628 (November 27, 1997)  BG Database-EMBL Accession Number X53724 (September 22, 1990)					999)	<u> </u>			
					**				
BH Miyamoto, et al., "The Human ASCL2 Gene Escaping Genome Imprint				inting and its Expression					
		Pattern," J. Assist. Reprod. Gene.							
	BI	Westerman, et al., The Human Achaete Scute Homolog 2 gene contains two promotors,							
generating overlapping transcripts and encoding two proteins with differ									
		localization. Placenta 2001 Jul;22(6):511-8.							
	BJ	Jiang, et al., Hypoxia prevents induction of aromatase expression in human trophoblast cells							
		in culture: potential inhibitory role of the hypoxia-inducible transcription factor Mash-2							
		(mammalian achaete-scute homologous protein-2). Mol Endocrinol 2000 Oct;14(10):1661-							
		73.		J	<u>-</u> ,		·	•	
	BK	Scott IC, et al., The	HAND1 ba	sic hel	ix-loop-helix transc	ription fact	or regulates	tropho	blast
differentiation via multiple mechanisms. Mol Cell Biol 2000 Jan;20(2):530-41.									

Sheet 2 of 3 .

Form PTO-1449	U.S. Department of Commerce Patent and Trademark Office	ATTY, DOCKET NO. BC45300-1	SERIAL NO. 10/650,608	
BY APPLICANT AT P		APPLICANT Cassart, et al.		
		FILING DATE August 28, 2003	GROUP Unknown	

	Tanaka, et al., Parental origin-specific expression of Mash2 is established at the time of
BL	
	implantation with its imprinting mechanism highly resistant to genome-wide demethylation.
	Mech Dev 1999 Sep;87(1-2):129-42.
BM	
	insight into mechanisms of human cytotrophoblast differentiation.
	J Dev Genet 1999;25(2):146-57.
BN	Kraut, et al., Requirement of the mouse I-mfa gene for placental development and skeletal
	patterning. EMBO J 1998 Nov 2;17(21):6276-88.
ВО	Rossant, et al., Mash2 is expressed in oogenesis and preimplantation development but is not
	required for blastocyst formation. Mech Dev 1998 May;73(2):183-91.
BP	Miyamoto, et al., A SacII polymorphism in the human ASCL2 (HASH2) gene region. J Hum
	Genet 1998;43(1):69-70.
BQ	Hu, et al., A 2.5-Mb transcript map of a tumor-suppressing subchromosomal transferable
	fragment from 11p15.5, and isolation and sequence analysis of three novel genes. Genomics
	1997 Nov 15;46(1):9-17.
BR	Tanaka, et al., Mash2 acts cell autonomously in mouse spongiotrophoblast development. Dev
	Biol 1997 Oct 1;190(1):55-65.
BS	Nakayama, et al., Developmental restriction of Mash-2 expression in trophoblast correlates
	with potential activation of the notch-2 pathway. Dev Genet 1997;21(1):21-30.
ВТ	Miyamoto, et al., Genomic cloning and localization to chromosome 11p15.5 of the human
	achaete-scute homolog 2 (ASCL2). Cytogenet Cell Genet 1996;73(4):312-4.
BU	Leighton, et al., An enhancer deletion affects both H19 and Igf2 expression. Genes Dev 1995
	Sep 1;9(17):2079-89.
BV	Guillemot, et al., Genomic imprinting of Mash2, a mouse gene required for trophoblast
	development. Nat Genet 1995 Mar;9(3):235-42.
BW	Guillemot, et al., Essential role of Mash-2 in extraembryonic development. AL. Nature 1994
	Sep 22;371(6495):333-6.
BX	Johnson, et al., DNA binding and transcriptional regulatory activity of mammalian achaete-
	scute homologous (MASH) proteins revealed by interaction with a muscle-specific enhancer.
	Proc Natl Acad Sci U S A 1992 Apr 15;89(8):3596-600.
BY	Johnson, et al., Induction and repression of mammalian achaete-scute homologue (MASH)
	gene expression during neuronal differentiation of P19 embryonal carcinoma cells.
	Development 1992 Jan;114(1):75-87.
	=

Form PTO-1449	U.S. Department of Commerce Patent and Trademark Office	АПУ. DOCKET NO. BC45300-1	SERIAL NO. 10/650,608
INFORMATIC	N DISCLOSURE STATEMENT	APPLICANT	
	BY APPLICANT	Cassart, et al.	Lengun
	O'PE	FILING DATE	GROUP
(Use sev	veral sheets if necessary)	August 28, 2003	Unknown
	NOV 2 4 2003		

BZ	Johnson, et al., Two rathomologues of Drosophila achaete-scute specifically expressed in neuronal precursors. Nature 1990 Aug 30;346(6287):858-61.
<u> </u>	
BAA	mRNA-DNA GenBank Accession Number: NM-005170.1
BBB	mRNA-DNA GenBank Accession Number: XM-113673.1
ВСС	mRNA-DNA GenBank Accession Number: XM-113699.1
BDD	mRNA-DNA GenBank Accession Number: AF442769.1
BEE	mRNA-DNA GenBank Accession Number: S82817.1
BFF	Protein GenPep Accession Number: XP-113673.1
BGG	Protein GenPep Accession Number: XP-113699.1
ВНН	Protein GenPep Accession Number: AAL35362.1
BII	Protein GenPep Accession Number: AAB39362.1
. ВЈЈ	Protein GenPep Accession Number: NP_005161 (Journal: Hum. Mol. Genet. 6(6), 859-867
	(1997)).
. BKK	Protein GenPep Accession Number: AAB39362.1, (Journal: Hum. Mol. Genet. 6(6), 859-867
	(1997)).

DATE CONSIDERED

n:\av1\patapps\bc45300-1\1449form.doc